

Correlation between education, occupation, family income, and self confidence with exclusive breastfeeding

Ari Tuti Wahyuni¹, Lina Handayani², Aprilia Rahmadani²

¹Department of Health- Kulon Progo - Yogyakarta

²Faculty of Public Health- Ahmad Dahlan University

Original Article

ABSTRACT

ARTICLE INFO

Keyword:

education, occupation, income, self confidence, exclusive breastfeeding

*Corresponding author:

linafkm@gmail.com

DOI : 10.20885/JKKI.Vol7.Iss3.art7

Background: The scope of exclusive breastfeeding in Puskesmas Pengasih II in Kulon Progo district of DI Yogyakarta, is still below national target (80%). Some factors that affect this problem are level of education, occupation, the mother's self confidence, and the family's economical income. This study aims to determine the correlation between education, occupation, family income, and mother's self confidence with exclusive breastfeeding in Puskesmas Pengasih II.

Objective: The objective of this study is to determine the correlation between education, occupation, family income, and mother's self confidence with exclusive breastfeeding in Puskesmas Pengasih II.

Method: This study is an observational study with cross sectional method and total sampling technique. The study population is all mothers who has 6 – 12 months old babies. Data analysis is done using chi square test with $\alpha = 5\%$.

Results: There are statistically significant correlation between the mother's occupation ($p=0,036$), family income ($p=0,000$) and self confidence ($p=0,000$) with exclusive breastfeeding in Puskesmas Pengasih II of Kulon Progo district. There are no statistically significant correlation between level of education ($p=0,948$) with exclusive breastfeeding in Puskesmas Pengasih II of Kulon Progo district.

Conclusion: There are statistically significant correlation between the mother's occupation, family income, and self confidence with exclusive breastfeeding in Puskesmas Pengasih II of Kulon Progo district. There are no statistically significant correlation between level of education with exclusive breastfeeding in Puskesmas Pengasih II of Kulon Progo district.

Latar Belakang: Cakupan ASI eksklusif di Provinsi DIY, di Kabupaten Kulon Progo dan di Puskesmas Pengasih II masih di bawah target nasional (80%). Beberapa hal terkait dengan masalah pemberian ASI eksklusif adalah tingkat pendidikan ibu, status pekerjaan ibu, tingkat pendapatan keluarga dan kepercayaan diri ibu. Penelitian ini bertujuan mengetahui hubungan pendidikan, pekerjaan, pendapatan dan kepercayaan diri dengan pemberian ASI eksklusif di wilayah kerja Puskesmas Pengasih II.

Tujuan: Mengetahui hubungan pendidikan, pekerjaan, pendapatan dan kepercayaan diri dengan pemberian ASI eksklusif di wilayah kerja Puskesmas Pengasih II Kabupaten Kulon Progo.

Metode: Jenis penelitian adalah observasional dengan metode cross sectional. Populasi penelitian adalah seluruh ibu yang mempunyai bayi enam sampai 12 bulan, menggunakan teknik total sampling. Analisis data menggunakan uji chi square dengan taraf signifikansi $\alpha = 5\%$.

Hasil: Ada hubungan pekerjaan ibu ($p=0,036$), pendapatan ($p=0,000$) dan kepercayaan diri ($p=0,000$)

dengan pemberian ASI eksklusif. Tidak ada hubungan pendidikan ($p=0,948$) dengan pemberian ASI eksklusif. **Kesimpulan:** Faktor yang berhubungan dengan pemberian ASI eksklusif adalah pekerjaan, pendapatan dan kepercayaan diri. Tidak ada hubungan pendidikan dengan pemberian ASI eksklusif.

INTRODUCTION

One of many indicators for the success of health development is the reduction of infant mortality rate and the increase of public nutritional status.¹ Data from the Indonesian Health Demographic Survey in 2007 showed that Infant Mortality Rate (IMR) in Indonesia was 34/1000 live births.² Indonesian IMR in 2009 was 30/1000 live births. While, DI Yogyakarta IMR in 2011 was 17/1000 live births.³ The health profile of Kulon Progo District in 2012 showed that IMR of the year 2011 was 12,8/1000 live births.

The causes of infant mortality include *Low Birth Weight* (LBW), diarrhea, and bronchopneumonia. In which inadequate breastfeeding is one of the contributing factor of infant mortality.⁴ Adequate breastfeeding is hoped to reduce Infant Mortality Rate in Indonesia and helped achieve *millenium developmental goal* (MDGs) goal 4, in which the Indonesian IMR is hoped to be reduced by 23/1000 live births in 2015.

World Health Organization (WHO) and The United Nations Children's Emergency Fund (UNICEF) recommends six months of exclusive breastfeeding, breastfeeding within one hour after labour, and breastfeeding as demanded by the baby without using feeding bottle or pacifier.⁵ Data from the Indonesian Health Demographic Survey showed that within the year of 2002–2003 the scope of breastfeeding in babies less than 2 months old was only 64%, and only 48% in 2007.² The national target for exclusive breastfeeding in 2014 was 80%.⁶ While according to Indonesian health profile 2012, the scope of exclusive breastfeeding in 2011 was only 61,5%, in which the scope of exclusive breastfeeding in DI Yogyakarta was only 71%.

Based on the report by DI Yogyakarta Department of Health, the scope of exclusive

breastfeeding in DIY, in 2012, was 58,20%. On the same year, the scope of exclusive breastfeeding in Kulon Progo district was only 58,03%. The health profile of Kulon Progo district by Department of Health in 2012, stated that the scope of exclusive breastfeeding in 2011 was 52,5%, in which Puskesmas Pengasih II was one of the area with low scope of exclusive breastfeeding. At Puskesmas Pengasih II, the scope of exclusive breastfeeding in 2012 was only 42,5%, and 23,6% in 2011.⁷

Many reasons are told by mothers who could not achieve exclusive breastfeeding, such as the mother's low self confidence, sociocultural factors, the effect of formula feeding promotion, low support from health workers, the mother's health, the baby's health, the mother's occupation, family income, and the mother's level of education as well as knowledge and attitude.⁸ Mothers who have positive attitude towards breastfeeding would usually start easier and succeed to provide exclusive breastfeeding to their babies. The mother's low self confidence is mostly caused by the fear of not having enough breastmilk to give to her baby.⁹ Based on these data, we were intrigued to do a study about the correlation between education, occupation, family income, and mother's self confidence with exclusive breastfeeding in Puskesmas Pengasih II.

METHODS

This study is an analytic observational study with cross sectional study design. The study population is all mothers who have 6 to 12 months old babies and reside within the working territory of Puskesmas Pengasih II in Kulon Progo district, Daerah Istimewa Yogyakarta province. Study samples are mothers who reside in the working territory of Puskesmas Pengasih II, and have 6 to 12 months old baby. Sample is collected using the total sampling technique. The inclusion criteria of this study include subjects who are willing to participate and are from the Javanese race. Primary data is collected by research questionnaire in the form of structured questionnaire. The questionnaires are given directly to respondents. Data is analyzed using univariate analysis and bivariate using Chi Square analysis.

RESULTS

This study was done in May 2013 within the working territory of Puskesmas Pengasih II in the district of Kulon Progo. In total, 142 respondents were achieved. Puskesmas Pengasih II is one of the government public health centers in the district of Kulon Progo, DI Yogyakarta. It has 42 Posyandu (Integrated Health service Posts), 2 Poskesdes (Village health posts), 3 Pustu (Sub-health centers), and 1 Puskesmas induk (Primary Public health center).

Table 1 Subject characteristics

Characteristics	Total	Percentage (%)
Mother's Age (Years)		
<20	14	9,9
20-35	83	58,4
>35	45	31,7
Baby's Age (Months)		
6	11	7,7
7	14	9,9
8	19	13,4
9	22	15,5
10	22	15,5
11	26	18,3
12	28	19,7
Number of Children		
1	52	36,6
2	60	42,3
>2	30	21,1
Breastfeeding experience		
Exclusive breastfeeding	48	33,8
Not exclusive breastfeeding	42	29,6
Not breastfeeding	52	36,6
Total	142	100,0

Table 1 showed that most of the respondents were within the age group of 20–35 years old, 83 subjects (58,4%), and the lowest was within the age group of <20 years old with only 14 subjects (9,9%). The baby's age were mostly 12 months old with 28 babies (19,7%), and the least was 6 months old with only 11 babies

(7,7%). Most respondents had 2 children which were 60 subjects (42,3%), and only 30 subjects had more than 2 children (21,1%). Most of the respondents never experienced breastfeeding, 52 subjects (36,6%).

Table 2. Result of univariant analysis

Variables	Total	Percentage (%)
Level of education		
High	85	59,9
Low	57	40,1
Occupation		
Working mom	48	33,8
Not-working mom	94	66,2
Family Income		
High	85	59,9
Low	57	40,1
Self confidence		
Low	66	46,5
High	76	53,5
Breastfeeding		
Not exclusive	64	45,1
Exclusive	78	54,9
Total	142	100,0

Table 2 showed that most respondent had high level of education (graduated senior highschool, 85 subjects /59,9%). Majority of respondents were stay-at-home moms, 94 subjects (66,2%). Most of the respondents come from high-income family (\geq Minimum Regional Wage) which were 85 subjects (59,9%). There were more mothers with high self-confidence, which were 76 subjects (53,5%). More respondents provide exclusive breastfeeding for their current babies, which were 78 subjects (54,9%).

Bivariat analysis was done to determine the correlation between each independent variables with dependent variable, as well as to determine the magnitude of risk factor for each independent variables for the dependent variable, with $\alpha = 0,05$. We used Chi Square analysis technique for data analysis.

Tabel 3. Correlation between Mother's Level of Education With Exclusive Breastfeeding

Level of Education	Breastfeeding		Total (%)	P	PR 95% CI
	Not Exclusive (%)	Exclusive (%)			
Low	25 (17,6%)	32 (22,5%)	57 (40,1%)	0,948	0,956 (0,658- 1,389)
High	39 (27,5%)	46 (32,4%)	85 (59,9%)		
Total	64 (45,1%)	78 (54,9%)	142 (100%)		

Note : P is p value
PR is prevalence ratio
CI is confidence interval

Table 3 showed that 46 subjects (32,4%) from 85 subjects with high level of education provided exclusive breastfeeding for their babies. The result from chi square analysis showed p value = 0,948, PR = 0,956, and 95% CI = 0,658-

1,389. This analysis showed that there are no statistically significant correlation between the mother's level of education with exclusive breastfeeding (nilai p=0,948).

Tabel 4 Correlation between Mother's Occupation With Exclusive Breastfeeding

Occupation	Breastfeeding		Total (%)	p	PR 95% CI
	Not Exclusive (%)	Exclusive (%)			
Working mom	28 (19,7%)	20 (14,1%)	48 (33,8%)	0,036*	1,523 (1,073- 2,163)
Not working mom	36 (25,4%)	58 (40,8%)	94 (66,2%)		
Total	64 (45,1%)	78 (54,9%)	142 (100%)		

*p<0.05

Table 4 showed that within 94 subjects who were not working, 58 subjects (40,8%) provided exclusive breastfeeding for their babies. The result from chi square analysis showed that p value =0,036, PR=1,523 and 95% CI=1,073-2,163.

This analysis showed that there are statistically significant correlation between the mother's occupation with exclusive breastfeeding (p=0,036).

Tabel 5 Correlation between Family Income With Exclusive Breastfeeding

Occupation	Breastfeeding		Total (%)	p	PR 95% CI
	Not Exclusive (%)	Exclusive (%)			
Working mom	28 (19,7%)	20 (14,1%)	48 (33,8%)	0,036*	1,523 (1,073- 2,163)
Not working mom	36 (25,4%)	58 (40,8%)	94 (66,2%)		
Total	64 (45,1%)	78 (54,9%)	142 (100%)		

*p<0.05

Table 5 showed that within the 85 high family income subjects, there were 52 subjects (36,6%) who did not provide exclusive breastfeeding for their babies. The result from Chi square analysis showed that p value=0,000, PR=2,906

and 95% CI=1,710-4,939. This analysis showed that there are statistically significant correlation between the level of family income with exclusive breastfeeding (p=0,000).

Tabel 6 Correlation between Self confidence with Exclusive Breastfeeding

Self confidence	Breastfeeding		Total (%)	p	PR 95% CI
	Not Exclusive (%)	Exclusive (%)			
Low	41 (28,9%)	25 (17,6%)	66 (46,5%)	0,000*	2,053 (1,390- 3,031)
High	23 (16,2%)	53 (37,3%)	76 (53,5%)		
Total	64 (45,1%)	78 (54,9%)	142 (100%)		

*p<0.05

Table 6 showed that within 76 subjects with high self-confidence, there were 53 subjects (37,3%) who provided exclusive breastfeeding for their babies. The result of Chi square analysis showed that p value=0,000, PR=2,053 and 95% CI=1,390-3,031. This analysis showed that there are statistically significant correlation between the mother's self confidence with exclusive breastfeeding (p=0,000).

DISCUSSION

The result from Chi square analysis showed that p-value 0,948 (>0,05), this analysis means that there are no statistically significant correlation between the mother's level of education with exclusive breastfeeding. Based on the description of 'level of education', it is known that within 142 respondents, most of them are highly educated which were 85 subjects (59,9%). And within the subjects with high level of education, 46 subjects (32,4%) provided exclusive breastfeeding for their babies.

Level of education will affect one's attitude towards their health.¹⁰ Nevertheless, the result of this study showed that the mother's level of education are not statistically significant in relation to exclusive breastfeeding. This might be due to the fact that most subjects with high level of education at Puskesmas Pengasih II were those who also work. The mother's level of education affects their occupational status. Women with higher level of education tend to become a career woman, hence they work outside their home. Working mom only has three months of maternity leave during their pregnancy and after labour. One month maternity leave during late pregnancy, and two months maternity leave after labour. After these maternity leave, working moms need to get back directly to work, so it become difficult for them to provide exclusive

breastfeeding for their babies.¹¹

This result is coherent with previous research by Sartono & Utaminingrum (2012) which also showed that there are no statistically significant correlation between the mother's level of education and their ability to provide exclusive breastfeeding. The formal education that the mothers had achieved did not affect how they provide breastfeeding for their babies.¹² There were no statistically significant correlation between the mother's level of education with the length of exclusive breastfeeding.¹³

The result of chi square test showed that p-value 0,036 (<0,05), which means that there are statistically significant correlation between the mother's occupation with exclusive breastfeeding. The PR value is 1,523, which means that, statistically speaking, working mom has 1,523 more chance of not providing exclusive breastfeeding for their babies. Based on the description of occupation, it is known that within 142 respondents, 94 subjects (66,2%) are not working. The stay-at-home mom who provide exclusive breastfeeding are 58 subjects (40,8%).

The result of this study supports a theory by Green (1980) which stated that occupation is one of the predisposing factor that affect behavior, which in this case means exclusive breastfeeding. The results from previous study also support the correlation between occupation and exclusive breastfeeding.¹⁴ This research is coherent with the theory which stated that working moms tend to fail on giving exclusive breastfeeding for their babies due to their hectic activities. The use of formula milk is unavoidable, so that their babies will not starve and cry. A mother's occupation could prevent her from providing exclusive breastfeeding for her baby.¹³ The type of mothers occupation could also affect her abilities to provide exclusive breastfeeding.¹⁵

The lack of exclusive breastfeeding optimization for working moms might be due to the use of formula milk. Subjects who work outside their home, like government employees, private sector employees, farmers, and merchants might also be the cause of obstacles for mothers who want to provide exclusive breastfeeding. This might also be due to the policy in the mother's working environment. The absence of Nursing Room in their working place might be one of the reason. During office hours, most respondents entrusted their babies to their grandmothers or babysitters.

The result of Chi square analysis between family income and exclusive breastfeeding showed that p-value 0,000 ($<0,05$). This means that there are statistically significant correlation between the level of family income with exclusive breastfeeding. PR value is 2,906, which means that, statistically speaking, mothers with higher family income has 2,906 more chance on failing to provide exclusive breastfeeding for their babies compare to those with lower income.

Based on the description of family income, within 142 subjects, most have income more than the Minimum Regional Wage which are 85 subjects (59,9%). Subjects with high family income who fail to provide exclusive breastfeeding are 52 subjects (36,6%). This might be due to the fact that higher income mothers have the ability to afford formula milk. Another possibility is the fact that mothers with higher income are probably working moms, so that they failed to provide exclusive breastfeeding due to their hectic schedule.

The result of this study supports a theory by Green (1980) which stated that income is one of the predisposing factor that affect behavior, which in this case is exclusive breastfeeding.¹⁰ This result also support the theory which stated that economical income affects many aspects of human's life, including their health management.¹⁶

The dominant factor that affect a mother's ability to provide exclusive breastfeeding is her socioeconomical status. This is due to the fact that mothers who come from lower family income has less ability to afford formula milk, hence they tend to prefer exclusive

breastfeeding.¹⁷ Mothers who have higher income, mostly prefer to give formula milk for their babies, while mothers with lower income prefer to give exclusive breastfeeding in order to limit spending.¹⁸ There are correlation between income with exclusive breastfeeding.¹⁹ There are no correlation between family income with exclusive breastfeeding behavior.¹¹

The result of chi square test showed that p-value 0,000 ($<0,05$), which means that there are statistically significant correlation between the mother's self-confidence with exclusive breastfeeding. The PR value is 2,053, which means that, statistically speaking, mothers with low self-confidence has 2,053 more chance of not providing exclusive breastfeeding for their babies. Based on the description of self-confidence, it is known that within 142 respondents, 76 subjects (53,5%) have high self confidence.

Subjects with higher self confidence and manage to provide exclusive breastfeeding for their babies are 53 subjects (37,3%). This might be due to the fact that subjects with lower self confidence have doubt that breastfeeding alone is enough for babies until they are 6 months old. Lack of support from family, health provider, and health volunteers might be the cause of lower self-confidence in breastfeeding moms. In the working territory of Puskesmas Pengasih II, there are a class which provide information about exclusive breastfeeding. But, this class is obstructed by minimal fund, hence it could not run optimally. Beside this fact, in the working territory of Puskesmas Pengasih II, there are still no KP Ibu (Kelompok Pendukung Ibu or Mother Support group).

The result of this study support the theory which stated that health behavior is affected by self-confidence. Someone who has higher purpose would have higher will and commitment with strong self-confidence. While, those with lower self confidence will have lower commitment, hence they achieve results that are not as good as expected.²⁰ This result also support the theory which stated that self confidence is one's belief on every aspect of potentials that he has. This belief will make him able to achieve many goals in his life.²¹ There are significant correlation between self-efficacy

with the duration of breastfeeding.²² For working mom, there are significant correlation between self-confidence with exclusive breastfeeding.²³

CONCLUSION

There are statistically significant correlation between the mother's occupation, family income, and self confidence with exclusive breastfeeding in Puskesmas Pengasih II of Kulon Progo district. There are no statistically significant correlation between level of education with exclusive breastfeeding in Puskesmas Pengasih II of Kulon Progo district.

FEEDBACK

The Department of Health in Kulon Progo District is hoped to provide policy that will support the prescence of Pojok ASI or Nursing Room within a working mom's office. Puskesmas Pengasih II is hoped to establish KP Ibu (Mother Support Group) in order to increase the efficacy of exclusive breastfeeding. It is hoped that 'Kegiatan Kelas Ibu' (Mother's Activity Class) could be optimized in order to increase the information exchange and mother's knowledge about exclusive breastfeeding, as well as to increase community empowerment in support of exclusive breastfeeding programme. Further research is needed to determine other factors that might affect exclusive breastfeeding behavior. These factors might include the prescence of appropriate supporting facilities, health provider's attitude and behavior towards exclusive breastfeeding programme, and the policies and constitution that support exclusive breastfeeding.

REFERENCES

1. Badan Pusat Statistik (BPS) dan Macro International, Survey Demografi dan Kesehatan Indonesia 2007, Calverton, Maryland, USA: BPS dan Macro International, 2008.
2. Bandura A. Health promotion by social cognitive means. *Health Education and Behavior* 2004;31: 143-164.
3. Departemen Kesehatan Republik Indonesia, Manajemen Laktasi, Jakarta : Depkes RI, 2005.
4. Dinas Kesehatan Provinsi DIY, Profil Dinas Kesehatan Provinsi DIY tahun 2011, Yogyakarta: Dinkes DIY, 2012.
5. Dinas Kesehatan Kabupaten Kulon Progo, Profil Kesehatan Kabupaten Kulon Progo tahun 2011, Kulon Progo: Dinkes Kulon Progo, 2012.
6. Hakim T. Mengatasi Rasa Tidak Percaya Diri. Jakarta: Puspa Swara, 2005.
7. Handayani L. Contributions of Social Support, Knowledge, Attitude and Self Efficacy on Breastfeeding Practice in Indonesia (Doctoral Thesis). UTM: Johor Bahru. 2012.
8. Kementerian Kesehatan Republik Indonesia, Profil Kesehatan Indonesia 2011, Jakarta: Kemenkes RI, 2012.
9. Kementerian Kesehatan RI, Peraturan Pemerintah Republik Indonesia Nomor 33 tahun 2012 tentang Pemberian ASI Eksklusif, Jakarta: Kemenkes RI, 2012.
10. Kementerian Kesehatan Republik Indonesia, Buku Saku Pelayanan Kesehatan Neonatal Esensial, Jakarta: Kemenkes RI, 2011.
11. Media Y, Kasnodihardjo, Prasodjo RS, Manalu H. Faktor-faktor Sosial Budaya yang Melatarbelakangi Pemberian ASI eksklusif. *Jurnal Ekologi Kesehatan* 2005;4(2):241-246.
12. Notoatmodjo S. Promosi Kesehatan dan Ilmu Prilaku. Jakarta: PT. Rineka Cipta, 2007.
13. Notoatmodjo S. Ilmu Kesehatan Masyarakat. Jakarta: PT. Rineka Cipta, 2003.
14. Pawenrusi EP. Faktor Yang Berhubungan Dengan Pemberian Asi Eksklusif Di Kelurahan Tamamaung Kota Makassar. *Media Gizi Pangan* 2011;XI(1):41-45.
15. Nurlily IA. Perbedaan Faktor-faktor Pemberian ASI Eksklusif di Wilayah Kerja Puskesmas Poncol dan Puskesmas Candilama Kota Semarang. *Jurnal Kesehatan Masyarakat* 2012;1(2):346-356.
16. Proverawati A, Rahmawati E. Kapita Selekta ASI dan Menyusui. Yogyakarta: Nuha Medika, 2010.
17. Purnamawati S. Faktor-faktor yang Berhubungan dengan Pola Pemberian ASI pada Bayi Usia Empat Bulan. *Media Litbang Kesehatan* 2003;XIII(3):29-37.
18. Puspitasari RI. Gambaran Faktor-faktor yang Mempengaruhi Pemberian Susu Formula pada Ibu yang Mempunyai Bayi Usia

- 0-6 Bulan di Bidan Praktek Swasta Hj. Renik Suprapti Kelurahan Bantarsoka Kecamatan Purwokerto Barat Kabupaten Banyumas Tahun 2011. *Jurnal Ilmiah Kebidanan*2012;3(1):1-17.
- 19.Rosita A, Faktor-faktor yang Berhubungan dengan Pemberian ASI Eksklusif di Kecamatan Salawu dan Sukahening Kabupaten Tasikmalaya tahun 2010, paper presented atSeminar Nasional, 2011.
- 20.Sarbini D, Hidayati L. Hubungan Antara Tingkat Pendapatan Keluarga dan Pendidikan Ibu dengan Pemberian ASI Eksklusif di Kecamatan Jebres Kotamadya Surakarta. *Jurnal Kesehatan*2008;1(2):115-122.
- 21.Sartono A, Utaminingrum H. Hubungan Pengetahuan Ibu, Pendidikan Ibu dan Dukungan Suami dengan Praktek Pemberian ASI Eksklusif di Kelurahan Muktiharjo Kidul Kecamatan Telogosari Kota Semarang. *Jurnal Gizi Universitas Muhammadiyah Semarang*2012;1(1):1-9.
- 22.Sriningsih I. Faktor Demografi, Pengetahuan Ibu Tentang Air Susu Ibu dan Pemberian ASI Eksklusif. *Kemas*2011;6(2):100-106.
- 23.Zakiah, Rasyad AS, Sujatno HRM.Efikasi Diri dan Lama Pemberian Air Susu Ibu Saja Selama 2 Bulan Postpartum. *GAS-TER*2012;9(2):7-14.